

**BF**

BRUCHSALER FARBEN

**BRUFABLEND<sup>®</sup>**

**pigment blends**

**the right solution**






**BRUFABLEND®** – dry blended pigments suitable for use in coatings, plastics and flooring systems.


These pigments are designed to:

- Be used in the same color space as chrome yellow, molybdate orange and red, and chrome green pigments
- Match RAL, NCS, British and Pantone Standards
- Create and match custom blends

Bruchsaler Farben offers several different series of **BRUFABLEND®** suitable for all types of color systems and applications:

- **BRUFABLEND®** L-Series: designed for interior, air dried systems requiring heat stability up to 140 °C (284 °F)
- **BRUFABLEND®** E-Series: blends based on bismuth vanadate pigments for systems requiring excellent exterior stability
- **BRUFABLEND®** ES-Series: blends based on bismuth vanadate pigments for systems requiring the highest stability and resistance levels
- **BRUFABLEND®** H-Series: blends based on bismuth vanadate pigments for use at higher temperatures up to max. 280 °C (536 °F)

article, <b>BRUFASOL®</b> lead containing	<b>BRUFABLEND®</b> type	density (g/cm <sup>3</sup> )	oil adsorption	weather fastness	industrial coatings, air drying	baking enamel, coil coatings	powder coatings	plastics (PU, PVC, polyolefines)	architectural paints, aqueous dispersions
 <b>16015 M</b>	E 28100	5,7	17	4 - 5	+	+	+	+	+
	ES 30000	5,7	17	4 - 5	+	+	+	+	+
 <b>16019 M</b>	L 27727	2,8	25	3	+	-	-	-	+
	E 27727	4,8	19	4	+	+	o	o	+
	ES 27833	5	19	5	+	+	+	+	+
 <b>4711 M</b>	L 27711	2,6	26	3	+	-	-	-	+
	E 27711	4	20	4	+	+	o	o	+
	ES 27865	4,4	21	5	+	+	+	+	+
 <b>311 M</b>	L 27311	3	24	3	+	-	-	-	+
	E 27311	3,2	25	4	+	+	o	o	+
	ES 27887	3,7	24	5	+	+	+	+	+
 <b>120 LM</b>	E 27120	3,1	25	3 - 4	+	+	o	o	o
	ES 27120	2,4	24	4 - 5	+	+	o	o	+
	H 27120	2,9	26	4	o	+	+	+	-
 <b>140 LM</b>	E 27140	3,2	25	3 - 4	+	+	o	o	o
	ES 27140	2,9	22	4 - 5	+	+	o	o	+
	H 27140	3,7	24	4	o	+	+	+	-
 <b>150 LM</b>	E 27150	3,6	19	3	+	+	o	o	o
	ES 27150	3,4	20	4 - 5	+	+	o	o	+
	H 27150	3,8	22	4	o	+	+	+	-
 <b>3000 M</b>	E 27300	3,5	24	3 - 4	+	+	-	-	-
	ES 27300	3,9	24	4 - 5	+	+	+	+	+



BRUCHSALER FARBEN

**BRUFABLEND**<sup>®</sup> dry blended pigments satisfy all your custom color and specialty application needs.

Working together we can blend to any shade and standard you and your customers specify.

Whether you are trying to match standard colors or looking for the perfect custom shade, **BRUFABLEND**<sup>®</sup> pigment blends are well suited for all applications and color mix systems. Work effectively using the most modern pigment blends which:

- are blended to a homogeneous standard and behave like a mono pigment in your formulations
- carry a guaranteed color consistency from shipment to shipment within industry standards
- remove the need to post blend and/or treat
- keep your inventory and carrying costs down by offering one product which does the work of several

With over 1,000 different blend formulations and hundreds of satisfied customers throughout the world, the **BRUFABLEND**<sup>®</sup> line is among the most trusted and used dry pigments in the market today.

Ask us - we offer the solution!





**Bruchsaler Farbenfabrik GmbH & Co. KG**  
**Talstraße 37**  
**D-76646 Bruchsal**

**phone: +49 . 7251 . 97 54 -0**  
**fax: +49 . 7251 . 1 59 53**  
**mail: [info@bruchsaler-farben.de](mailto:info@bruchsaler-farben.de)**  
**[www.bruchsaler-farben.de](http://www.bruchsaler-farben.de)**